

Correction

RESEARCH ARTICLE Vol. 3, No. 3 / P 123-130

High-accuracy protein structure modeling and its application to molecular replacement of crystallographic phasing

Keehyung Joo^{1,*}, Mi-Sun Kim^{2,*}, Jimin Park^{2,*}, Jooyoung Lee^{1,*} and Dong Hae Shin^{2,*}

¹Center for *in silico* Protein Science and School of Computational Sciences, Korea Institute for Advanced Study, Seoul 130-722, Korea, ²Collegy of Pharmacy and Graduate School of Pharmaceutical Sciences, Global Top5 Research Program, Ewha Womans University, Seoul 120-750, Korea.

*Correspondence: dhshin55@ewha.ac.kr, jlee@kias.re.kr

*These authors contributed equally to this work.

Correction in Acknowledgements

We are grateful to the staffs at Pohang Light Source and Advanced Light Source. We also thank KIAS Center for Advanced Computation for providing Linux cluster system for computational modeling. This work was supported by Creative Research Initiatives (Center for *in silico* Protein Science, (2008-0061987), the Core Research Center program (2012-0000952), the Converging Research Center Program (2010K000266) and the Basic Science Research Program (2008-331-C00233, 2010-0003907, 2013R1A1A1A05008769) through the National Research Foundation of Korea grant funded by the Ministry of Education, Science and Technology, Republic of Korea (MEST). M.-S. Kim, D. Lee and J. Park were supported by Brain Korea 21 (BK21) Project.